		212	Minimum mithin and a
4	REGENERATOR	213	Mixing within zone of
5	.Cleaning		recirculated zone air and
6	.Movable heat storage mass with		supply air adjacent zone air
	enclosure		inlet (e.g., induction unit,
7	With fluid handling system		etc.)
8	Rotary heat collector	214	Including a fan (e.g.,
9	Seals		fancoil unit, etc.)
9.1	.Checker brick structure	215	Reheat adjacent zone air
9.2	Gradated flow area, heat		inlet
, . <u>.</u>	capacity or heat resistance	216	Mixing of separate centrally
9.3	Having gas supply or exhaust		supplied hot and cold stream
2.3	manifold structure		before discharge into each
9.4	In casing		zone (e.g., dual-duct, etc.)
10	.Heat collector	217	Volume flow of discharged air
11.1	WITH ALARM, INDICATOR, SIGNAL,		at discharge into zone
·-	REGISTER, RECORDER, TEST OR		modulated by zone heating or
	INSPECTION MEANS		cooling load (e.g., variable
11.2	.Remotely controlled inspection	010	air volume, etc.)
	means	218	Central temperature
200	WITH TIMER, PROGRAMMER, TIME		conditioned liquid supplied to
200	DELAY, OR CONDITION RESPONSIVE	010	each zone
	CONTROL	219	Separate supply and return
201	.Having heating and cooling		mains (e.g., two pipe system,
	capability	220	etc.)
202	Vehicle installation	220	Additional supply main
203	Plural temperature regulators		<pre>(e.g., three pipe system, etc.)</pre>
	for plural zones	221	Additional return main
204	Flow control of chest, foot,	221	(e.g., four pipe system, etc.)
	or defrost air in vehicle	222	Humidity control
205	Plural temperature regulators	223	Humidity sensor measures
	for plural zones	223	humidity of air in conditioned
206	Nonbuilding system (e.g.,		space
	machine tool, chemical	224	Additional humidity sensor
	analyzer, etc.)	221	(e.g., located outside of
207	Refrigeration system having an		conditioned space, etc.)
	evaporator or condenser in	225	Humidity sensor controls
	each zone		indirect-contact cooling means
208	Central system prioritizes	226	Liquid spray onto indirect-
	heating and cooling requests		contact cooling means
	from zones	227	Air bypass of indirect-
209	Supervisory central control		contact cooling means
	means overrides zone	228	Reheat of cooled air
	controller		downstream of indirect-contact
210	Heat balancing using waste		cooling means
	heat or cold (e.g., heat	229	Humidity sensor controls
	reclaim, etc.)		humidifier
211	Different conditioning means	230	Dewpoint controlled (e.g.,
	for perimeter zone and core		control of cooling means by
0.1.0	zone		downstream temperature sensor
212	Central temperature		to maintain controlled
	conditioned air supplied to		dewpoint of downstream air,
	each zone		etc.)

231	<pre>Congealed material (e.g.,   frost, etc.) or condensation   removal or prevention</pre>	254	System selects heating or cooling mode automatically (e.g., responsive to season,
232	Operated by timer or programmer		ambient light, temperature in conditioned area, etc.)
233	Operated by temperature sensor	255	Dead band between heating and
234	Control of static pressure of		cooling
	conditioned space	256	Variable rate of heating or
235	Space is within aircraft		cooling (e.g., plural stages,
236	Control of heat storage		etc.)
237	Means responsive to occupancy	257	Room and ambient temperature
23,	of space		sensors
238	Means storing set point for	258	Separate heating and cooling
230	particular time of day (e.g.,		thermostats
	clock thermostat, etc.)	259	Single temperature sensing
220		233	means
239	Means to compute time required	260	Variable rate of heating or
	to reach certain temperature by certain time of day (e.g.,	200	cooling (e.g., plural stages,
	morning warm-up, etc.)		etc.)
240		261	Sequentially activated heat
240	Heat pump and supplemental heat	201	sources or cool sources
241	source	262	Timer
241	Change-over from heat pump	263	Area receives conditioning
	operation to supplemental heat	203	
0.4.0	source operation alone		from simultaneously operated heating and cooling means
242	Responsive to outdoor		(e.g., opposed and
0.43	temperature		compensating heating and
243	Means to reset supply air		cooling, etc.)
	temperature or supply water	264	Simultaneous heating and
	temperature as function of	204	cooling only in limited range
0.4.4	heat load		around set point temperature
244	Means to control fan or pump to	265	Manual changeover between
	regulate supply air flow or	205	heating and cooling modes
0.45	supply water flow		(e.g., manual override, etc.)
245	Low flow during heating and	266	.Pre-heat or pre-cool of space or
0.46	high flow during cooling	200	device during start-up
246	Responsive to pressure	267	.Means to heat or cool for
247	Responsive to temperature	207	predetermined periods of time
248	Flow of air from outdoors		(e.g., duty cycle, time-
	controlled (e.g., minimum		temperature profiler, etc.)
0.40	outside air, etc.)	268	Predetermined time variable set
249	Proportion of outdoor air and	200	point
0.5.0	return air controlled	269	Duty cycle (e.g., pulse
250	Outdoor air used in lieu of	200	duration or pulse frequency
	operating heating or cooling		modulation, etc.)
	means (e.g., economy cycle,	270	.Time delay
251	etc.)	271	.Vehicle or engine speed
251	Enthalpy sensor	271	responsive
252	Pre-heat or pre-cool of	272	.Control of heat pipe heat
	outdoor air before mixing with	212	transfer characteristics
252	returned air	273	Control of quantity of inert
253	Temperature sensor controlling	213	gas
	temperature		J

274	Control of vapor or liquid flow	293	Temperature sensor prior to
	between evaporator and		heat exchanger and one after
	condenser sections (e.g., by	294	Branched flow of heat exchange
	variable restrictions, check		material
	<pre>valves, etc.)</pre>	295	Including mass flow sensor
275	.Control of amount of conductive	296	Branched flow of heat exchange
	gas in confined space between		material
	heat source and heat sink	297	Bypass of heat exchanger
276	.Control of variable thermal	298	Mixture temperature sensing
	conductivity systems (e.g.,	299	Flow of one heat exchange
	heat valves, etc.)	200	material controlled by
277	Solid heat transfer path		temperature of another
278	.Vent of system (e.g.,	300	Flow of one heat exchange
	overpressure, overtemperature,	300	material controlled by its own
	removal of noncondensable,		
	etc.)	301	temperature
279	.Pressure and temperature	301	.Liquid-level responsive or
275	responsive or control	200	control means
280	Bypass of heat exchanger	302	Condenser or evaporator
200		303	.Cleaning
	responsive to both temperature	41	WITH VEHICLE FEATURE
201	and pressure	42	.Heating and cooling
281	.Fluid pressure responsive or	43	Vehicle contained common power
000	control		and heat supply
282	Branched flow of heat exchange	44	.Utilizing motion of vehicle
	material	45	GEOGRAPHICAL
283	Bypass of heat exchanger	46	FLEXIBLE ENVELOPE OR COVER TYPE
284	Differential pressure	47	STRUCTURAL INSTALLATION
	operated bypass	48.1	.Heating and cooling
285	Flow of one heat exchange	48.2	Solar
	material controlled by the	49	Radiant building panel
	pressure of another	50	Room heat exchangers with
286	Flow of one heat exchange	30	_
	material controlled by its own	Г1	central fluid supply
	pressure	51	.Engine
287	.Temperature responsive or	52	Exchange between engine supply
	control		and exhaust lines
288	Plural temperature sensors	53	.Related to wall, floor or
289	Means to maintain a constant		ceiling structure of a chamber
	temperature difference between	54	In a chamber connected passage
	a measured temperature and a		traversing the structure
	controlled temperature	55	Projecting shield forms passage
290	Temperature sensor within or		with the structure
270	near an area to be	56	Hollow or recess in the
	conditioned, another		structure connected for
	tempeerature sensor near the		exchange fluid flow
	conditioning equipment (e.g.,	57	Ported to the chamber
	shallow/deep, etc.)	58	HEATING AND COOLING
291	Temperature sensor inside	59	.With ventilation
271	conditioned space, another	60	.Gas-liquid contactor
	temperature sensor outdoor	61	.Heating and cooling of the same
	-	01	material
	(e.g., indoor set point	62	Refrigerating system conversion
	adjusted by outdoor conditions, etc.)	63	Refrigerating system conversionRefrigeration producer
292		64	
4 J 4	Temperature sensor in treated fluid, another temperature		Heat generator
		65	Heater and cooler serially
	sensor in treating fluid		arranged

66	Heat exchange between supply and exhaust lines	95	WITH CLEANING MEANS FOR HEAT EXCHANGER
67	WITH EXTERNAL SUPPORT	96	WITH ADJUSTOR FOR HEAT, OR
68	.Legs		EXCHANGE MATERIAL, FLOW
69	RESILIENT VIBRATION DAMPER	97	.Flow reversed or crossed within
0,5	ISOLATING EXCHANGER ELEMENT		temperature modifying zone
70	WITH LEAKAGE COLLECTOR	98	.Adjustable radiator face
71	WITH PURGE, OR DRAINAGE, COCK OR	50	covering means
<i>,</i> _	PLUG	99	Discharge grille or diffuser
72	COVERED ACCESS OPENING	100	.Branched flow
73		101	
	Cover is, or carries, heat exchanging means		Controls flow through parallel heating or cooling means
74	Heat exchanging means projects into the covered chamber	102	Tortuous and straight through branches within heating or
75	.Heating or cooling means within the covered chamber	103	cooling drumBy pass of heating or cooling
76	WITH REPAIR OR ASSEMBLY MEANS		means
77	.Hinge	104.11	INTERMEDIATE FLUENT HEAT EXCHANGE
78	.Guide		MATERIAL RECEIVING AND
79	.Positioner or retainer for		DISCHARGING HEAT
	settable material	104.12	.Reversible chemical reaction
80.1	WITH RETAINER FOR REMOVABLE	104.13	.Plural intermediate fluent heat
	ARTICLE		exchange materials
80.2	.Electrical component	104.14	Always out of direct contact
80.3	Air cooled, including fins		with each other
80.4	Liquid cooled	104.15	.Solid fluent heat exchange
80.5	.Including liquid heat exchange		material
	medium	104.16	Fluidized bed
81	EXPANSION AND CONTRACTION	104.17	Utilizing change of state
<u>-</u>	RELIEVING OR ABSORBING MEANS	104.18	Including means to move heat
82	.Relieving or absorbing means		exchange material
-	supports temperature modifier	104.19	.Liquid fluent heat exchange
	in heat exchanger		material
83	Flexible fluid confining wall	104.21	Utilizing change of state
84	WITH MEANS FLEXING, JARRING OR	104.22	Including means to move heat
	VIBRATING HEAT EXCHANGE SURFACE		exchange material in liquid state
85	AGITATOR OR IMPELLER MOTOR	104.23	By direct application of
86	OPERATED BY EXCHANGE FLUID MOVABLE HEATING OR COOLING		electrical energy to heat exchange material
-	SURFACE	104.24	By application of heat other
87	.Hollow screw type impeller		than in heat receiving area
88	.Rotor carrying separate chambers	104.25	By application of mechanical energy
89	for two exchanging fluents .Rotary drum	104.26	Utilizing capillary attraction
90	With means applying fluids for	104.27	With pressurizing means or
90		101.27	degassifying means
0.1	exchange through drum wall	104.28	Including means to move heat
91	With drum surface scraper	101.20	exchange material
92	.Hollow strirrer or scraper	104.29	Utilizing formed bubble
93	Material advancer in shelf to	104.25	By application of mechanical
0.4	shelf device	101.01	energy
94	WITH SCRAPER REMOVING PRODUCT FROM TEMPERATURE MODIFYING	104.32	With pressurizing means or
	SURFACE	104 22	degassifying means
		104.33	Cooling electrical device

104.34	.Including means to move gaseous heat exchange material	139	INTERNALLY BRANCHED FLOW, EXTERNALLY PORTED
108	RECIRCULATION	140	THREE NON-COMMUNICATING FLUIDS
109.1	WITH AGITATING OR STIRRING	141	.Concentric flow chambers
	STRUCTURE	142	SPUR TUBE PROJECTS INTO ENCLOSURE
110	WITH FIRST FLUID HOLDER OR	143	PLURAL CASTING-CONDUIT UNITS<<
	COLLECTOR OPEN TO SECOND FLUID		LINE OR COMMON HEADER
111	.Separate external discharge port		CONNECTED
	for each fluid	144	LINE CONNECTED CONDUIT ASSEMBLIES
112	With downstream pressure or	145	.In common casing
	temperature modifier	146	GRADATED HEAT TRANSFER STRUCTURE
113	Surface-type heat exchanger	147	.Tapered conduit means
114	With baffle at inlet to less	148	RADIATOR CORE TYPE
	dense fluid discharge port	149	.With edge cover or frame means
115	.Trickler	150	.Serially connected tube sections
116	Shelf to shelf	151	.Side-by-side tubes traversing
117	Pipe exterior to pipe exterior		fin means
118	Vertical cone or drum	152	.Deformed sheet forms passages
119	WITH SOLIDS SEPARATOR FOR	132	between side-by-side tube
117	EXCHANGE FLUID		means
120	WITH IMPELLER OR CONVEYOR MOVING	153	With tube manifold
120	EXCHANGE MATERIAL	154	NON-COMMUNICATING COAXIAL
121	.Mechanical gas pump	131	ENCLOSURES
122	Heating or cooling means and	155	.With communicating coaxial
122	gas pump in housing	133	enclosure
123		156	.Helical conduit means
123	With injector-type gas pumpVerging gas flow	157	CASING OR TANK ENCLOSED CONDUIT
125		137	ASSEMBLY
125	Radial flow through annular	158	.Manifold formed by casing
100	heating or cooling means	130	
126	Single inlet, plural outlets		section and tube sheet of assembly
127	Gas pump for each outlet	159	.With distinct flow director in
100	stream	139	casing
128	THERMOSYPHONIC FLUE TYPE	160	_
129	.Heating or cooling means within	161	Longitudinal
	distinct flue forming		Additional transverse baffle
120	enclosure	162	.With support in casing
130	.Flue formed between facing	163	.Conduit coiled within casing
	second fluid containing	164	FLOW PASSAGES FOR TWO CONFINED
1 2 1	conduits	1.65	FLUIDS
131	.Flues formed by vertical	165	.Interdigitated plural first and
	corrugations of heat	1.00	plural second fluid passages
120	transmitter	166	Stacked plates or shells form
132	HEATING OR COOLING MEANS IN OPEN		interplate passages
100	COMMUNICATION WITH RESERVOIR	167	With plate traversing passages
133	WITH COATED, ROUGHENED OR		interconnecting alternate
	POLISHED SURFACE		spaces
134.1	WITH PROTECTOR OR PROTECTIVE AGENT	168	CONDUIT WITHIN, OR CONFORMING TO, PANEL OR WALL STRUCTURE
135	WITH THERMAL OR ACOUSTICAL	169	.Wall forms enclosure
	BLOCKER	170	.Opposed plates or shells
136	.Insulation and temperature	171	.Means spanning side-by-side tube
	modifier within barrier member		elements
137	CONVERTIBLE	172	SIDE-BY-SIDE TUBULAR STRUCTURES
138	COMBINED		OR TUBE SECTIONS

173	.With manifold type header or			PROCESS (165/1)
1 7 4	header plate			.Heating and cooling (165/2)
174	With internal flow director			Humidity adjusting (165/3)
175	Inlet and outlet header means			TIME OR PROGRAM ACTUATOR (165/12)
176	Side by side			AUTOMATIC CONTROL (165/13)
177	TUBULAR STRUCTURE			.Heating and cooling (165/14)
178	.With support or flow connector	FOR	106	With cabin pressure control
179	.Projecting internal and external			(165/15)
	heat transfer means	FOR	107	With ventilation control (165/
180	.Diverse materials			16)
181	.With discrete heat transfer			Defrosting (165/17)
	means	FOR	109	With control of heat storage
182	With means spacing fins on			(165/18)
	structure	FOR	110	With gas and liquid contact
183	Longitudinal extending			fluid flow control (165/19)
184	Helical	FOR	111	By humidity sensor (165/20)
185	HEAT TRANSMITTER	FOR	112	With humidity sensor
186	MISCELLANEOUS			controlling humidity (165/21)
		FOR	113	Correlation of plural zone
				controls and central system
				control (165/22)
CROSS-RI	EFERENCE ART COLLECTIONS	FOR	114	Responsive to vehicle body motion (165/23)
900	COOLING TOWERS	FOR	115	With manual control (165/124)
901	HEAT SAVERS	FOR	116	Manual selector modifies
902	HEAT STORAGE			automatic control (165/25)
903	CONVECTION	FOR	117	Single sensor controls both
904	RADIATION			heating and cooling (165/26)
905	MATERIALS OF MANUFACTURE	FOR	118	Selective heating or cooling
906	REINFORCEMENT			(165/27)
907	POROUS	FOR	119	Room and ambient temperature
908	FLUID JETS			sensors (165/28)
909	REGENERATION	FOR	120	Heat pump with supplemental
910	TUBE PATTERN			heat (165/29)
911	VAPORIZATION	FOR	121	Opposed compensating heating
912				and cooling (165/30)
912	COMBINED OR CONVERTIBLE HEAT EXCHANGE MODES	FOR	122	Pressure response or control
913	CONDENSATION			(165/31)
		FOR	123	.Temperature or pressure (165/32)
914 915	FILMING	FOR	124	With correlated manual
	FOAMING			actuation (165/33)
916	OIL COOLER	FOR	125	Branched flow of exchanging
917	PRESSURIZATION AND/OR			fluid (165/34)
010	DEGASSIFICATION	FOR	126	By-pass of heat exchanger
918	HEATED AND COOLED FOOD CABINETS			(165/35)
010	AND/OR TRAYS	FOR	127	Mixture temperature sensing
919	.Wheeled			(165/36)
920	PARTICULATE HEAT EXCHANGE	FOR	128	With pressure response (165/
921	DEW POINT		-	37)
		FOR	129	Pressure controlled (165/38)
		FOR	130	Flow of one heat exchanging
				material controlled by the
<u>FOREIGN</u>	ART COLLECTIONS			condition of another (165/37)

FOR CLASS-RELATED FOREIGN DOCUMENTS

FOR 131	Flow of heat exchanging	DIG 30	.Mass formed of modules arranged
	material controlled by its own		in three dimensional matrix
	condition (165/40)		("Checkerwork")
		DIG 31	Gradated flow area, heat
			capacity or conductivity
		DIG 32	Having gas supply or exhaust
DIGESTS			manifold structure
		DIG 33	With flow control device (i.e.
DIG 1	WITH ALARM, INDICATOR, RECORDER,		valve)
	TEST, OR INSPECTION MEANS	DIG 34	With flow distributing baffle
DIG 2	.Energy, efficiency, performance	DIG 35	In casing
	or malfunction	DIG 36	Distinct passages formed in
DIG 3	.Remote control inspection means		individual modules
DIG 4	.Sight glass	DIG 37	.Having flow diverting means
DIG 5	.Fluid level or amount		(e.g. valve) to selectively
DIG 6	.Temperature		control flow through storage
DIG 7	.Flow or valve position	DTG 20	mass
DIG 8	.Leakage	DIG 38	Correlated control of plural
DIG 9	HAVING A SOLID HEAT STORAGE MASS	DTG 20	diverting means
	FOR ABSORBING HEAT FROM ONE	DIG 39	Synchronously rotated flow
	FLUID AND RELEASING IT TO		guiding hoods disposed on opposite sides of fixed
	ANOTHER (I.E. REGENERATOR)		regenerator
DIG 10	.Cleaning storage mass	DIG 40	Linearly movable diverting
DIG 11	Reciprocating cleaner device	210 10	means
DTG 10	(e.g. scraper, sprayer)	DIG 41	Rotary diverting means
DIG 12	Spray nozzle cleaner	DIG 42	.Particular structure of heat
DIG 13	.Movable heat storage mass with		
			storage mass
DTC 14	enclosure	DIG 43	Element for constructing
DIG 14	Reciprocated linearly	DIG 43	_
DIG 15	Reciprocated linearlyWith pump	DIG 43	Element for constructing
DIG 15 DIG 16	<ul><li>Reciprocated linearly</li><li>With pump</li><li>Rotary storage mass</li></ul>		Element for constructing regenerator rotor
DIG 15	<ul><li>Reciprocated linearly</li><li>With pump</li><li>Rotary storage mass</li><li>With thermal expansion</li></ul>		Element for constructing regenerator rotor HAVING FLEXIBLE HEAT EXCHANGE
DIG 15 DIG 16 DIG 17	<ul><li>Reciprocated linearly</li><li>With pump</li><li>Rotary storage mass</li><li>With thermal expansion compensating means</li></ul>	DIG 44	Element for constructing regenerator rotor  HAVING FLEXIBLE HEAT EXCHANGE SURFACE CONFORMING TO A SOLID STRUCTURE (E.G., APPLICATOR, ETC.)
DIG 15 DIG 16	<ul><li>Reciprocated linearly</li><li>With pump</li><li>Rotary storage mass</li><li>With thermal expansion compensating means</li><li>Having means controlling</li></ul>	DIG 44	Element for constructing regenerator rotor  HAVING FLEXIBLE HEAT EXCHANGE SURFACE CONFORMING TO A SOLID STRUCTURE (E.G., APPLICATOR, ETC.)  .Conform to head, neck, or face
DIG 15 DIG 16 DIG 17 DIG 18	Reciprocated linearlyWith pumpRotary storage massWith thermal expansion compensating meansHaving means controlling direction or rate of flow	DIG 44 DIG 45 DIG 46	Element for constructing regenerator rotor  HAVING FLEXIBLE HEAT EXCHANGE SURFACE CONFORMING TO A SOLID STRUCTURE (E.G., APPLICATOR, ETC.)  .Conform to head, neck, or face .Heat exchange body suit
DIG 15 DIG 16 DIG 17	Reciprocated linearlyWith pumpRotary storage massWith thermal expansion compensating meansHaving means controlling direction or rate of flowPlate type shutter associated	DIG 45 DIG 46 DIG 47	Element for constructing regenerator rotor  HAVING FLEXIBLE HEAT EXCHANGE SURFACE CONFORMING TO A SOLID STRUCTURE (E.G., APPLICATOR, ETC.)  .Conform to head, neck, or face .Heat exchange body suit .For cooling
DIG 15 DIG 16 DIG 17 DIG 18	Reciprocated linearlyWith pumpRotary storage massWith thermal expansion compensating meansHaving means controlling direction or rate of flowPlate type shutter associated with face of storage mass	DIG 44 DIG 45 DIG 46 DIG 47 DIG 48	Element for constructing regenerator rotor  HAVING FLEXIBLE HEAT EXCHANGE SURFACE CONFORMING TO A SOLID STRUCTURE (E.G., APPLICATOR, ETC.)  .Conform to head, neck, or face .Heat exchange body suit .For coolingElectrical component
DIG 15 DIG 16 DIG 17 DIG 18 DIG 19	Reciprocated linearlyWith pumpRotary storage massWith thermal expansion compensating meansHaving means controlling direction or rate of flowPlate type shutter associated with face of storage massSeal and seal-engaging surface	DIG 44 DIG 45 DIG 46 DIG 47 DIG 48 DIG 49	Element for constructing regenerator rotor  HAVING FLEXIBLE HEAT EXCHANGE SURFACE CONFORMING TO A SOLID STRUCTURE (E.G., APPLICATOR, ETC.)  .Conform to head, neck, or face .Heat exchange body suit .For coolingElectrical componentOr for heating
DIG 15 DIG 16 DIG 17 DIG 18 DIG 19	Reciprocated linearlyWith pumpRotary storage massWith thermal expansion compensating meansHaving means controlling direction or rate of flowPlate type shutter associated with face of storage massSeal and seal-engaging surface are relatively movable	DIG 44 DIG 45 DIG 46 DIG 47 DIG 48 DIG 49 DIG 50	Element for constructing regenerator rotor  HAVING FLEXIBLE HEAT EXCHANGE SURFACE CONFORMING TO A SOLID STRUCTURE (E.G., APPLICATOR, ETC.)  .Conform to head, neck, or face .Heat exchange body suit .For coolingElectrical componentOr for heatingIncluding a pump or valve
DIG 15 DIG 16 DIG 17 DIG 18 DIG 19 DIG 20	Reciprocated linearlyWith pumpRotary storage massWith thermal expansion compensating meansHaving means controlling direction or rate of flowPlate type shutter associated with face of storage massSeal and seal-engaging surface	DIG 44 DIG 45 DIG 46 DIG 47 DIG 48 DIG 49	regenerator rotor  HAVING FLEXIBLE HEAT EXCHANGE SURFACE CONFORMING TO A SOLID STRUCTURE (E.G., APPLICATOR, ETC.)  .Conform to head, neck, or face .Heat exchange body suit .For coolingElectrical componentOr for heatingIncluding a pump or valve HAVING EXPANSION AND CONTRACTION
DIG 15 DIG 16 DIG 17 DIG 18 DIG 19 DIG 20	Reciprocated linearlyWith pumpRotary storage massWith thermal expansion compensating meansHaving means controlling direction or rate of flowPlate type shutter associated with face of storage massSeal and seal-engaging surface are relatively movableSeal engaging a face of	DIG 45 DIG 46 DIG 47 DIG 48 DIG 49 DIG 50 DIG 51	regenerator rotor  HAVING FLEXIBLE HEAT EXCHANGE SURFACE CONFORMING TO A SOLID STRUCTURE (E.G., APPLICATOR, ETC.)  .Conform to head, neck, or face .Heat exchange body suit .For coolingElectrical componentOr for heatingIncluding a pump or valve HAVING EXPANSION AND CONTRACTION RELIEVING OR ABSORBING MEANS
DIG 15 DIG 16 DIG 17 DIG 18 DIG 19 DIG 20 DIG 21	Reciprocated linearlyWith pumpRotary storage massWith thermal expansion compensating meansHaving means controlling direction or rate of flowPlate type shutter associated with face of storage massSeal and seal-engaging surface are relatively movableSeal engaging a face of cylindrical heat storage mass	DIG 44 DIG 45 DIG 46 DIG 47 DIG 48 DIG 49 DIG 50 DIG 51 DIG 52	regenerator rotor  HAVING FLEXIBLE HEAT EXCHANGE SURFACE CONFORMING TO A SOLID STRUCTURE (E.G., APPLICATOR, ETC.)  Conform to head, neck, or face Heat exchange body suit For coolingElectrical componentOr for heatingIncluding a pump or valve HAVING EXPANSION AND CONTRACTION RELIEVING OR ABSORBING MEANS .For cylindrical heat exchanger
DIG 15 DIG 16 DIG 17 DIG 18 DIG 19 DIG 20 DIG 21	Reciprocated linearlyWith pumpRotary storage massWith thermal expansion compensating meansHaving means controlling direction or rate of flowPlate type shutter associated with face of storage massSeal and seal-engaging surface are relatively movableSeal engaging a face of cylindrical heat storage massSeal defining sector-shaped	DIG 45 DIG 46 DIG 47 DIG 48 DIG 49 DIG 50 DIG 51	regenerator rotor  HAVING FLEXIBLE HEAT EXCHANGE SURFACE CONFORMING TO A SOLID STRUCTURE (E.G., APPLICATOR, ETC.)  Conform to head, neck, or face Heat exchange body suit For coolingElectrical componentOr for heatingIncluding a pump or valve  HAVING EXPANSION AND CONTRACTION RELIEVING OR ABSORBING MEANS .For cylindrical heat exchangerFlexible or movable header or
DIG 15 DIG 16 DIG 17  DIG 18  DIG 19  DIG 20  DIG 21  DIG 22	Reciprocated linearlyWith pumpRotary storage massWith thermal expansion compensating meansHaving means controlling direction or rate of flowPlate type shutter associated with face of storage massSeal and seal-engaging surface are relatively movableSeal engaging a face of cylindrical heat storage massSeal defining sector-shaped flow area	DIG 44  DIG 45  DIG 46  DIG 47  DIG 48  DIG 50  DIG 51  DIG 52  DIG 53	Element for constructing regenerator rotor  HAVING FLEXIBLE HEAT EXCHANGE SURFACE CONFORMING TO A SOLID STRUCTURE (E.G., APPLICATOR, ETC.)  .Conform to head, neck, or face .Heat exchange body suit .For coolingElectrical componentOr for heatingIncluding a pump or valve HAVING EXPANSION AND CONTRACTION RELIEVING OR ABSORBING MEANS .For cylindrical heat exchangerFlexible or movable header or header element
DIG 15 DIG 16 DIG 17  DIG 18  DIG 20  DIG 21  DIG 22  DIG 23	Reciprocated linearlyWith pumpRotary storage massWith thermal expansion compensating meansHaving means controlling direction or rate of flowPlate type shutter associated with face of storage massSeal and seal-engaging surface are relatively movableSeal engaging a face of cylindrical heat storage massSeal defining sector-shaped flow areaBrush-type seal	DIG 44 DIG 45 DIG 46 DIG 47 DIG 48 DIG 49 DIG 50 DIG 51 DIG 52	regenerator rotor  HAVING FLEXIBLE HEAT EXCHANGE SURFACE CONFORMING TO A SOLID STRUCTURE (E.G., APPLICATOR, ETC.)  .Conform to head, neck, or face .Heat exchange body suit .For coolingElectrical componentOr for heatingIncluding a pump or valve HAVING EXPANSION AND CONTRACTION RELIEVING OR ABSORBING MEANS .For cylindrical heat exchangerFlexible or movable header or header elementMovable header (e.g., floating
DIG 15 DIG 16 DIG 17  DIG 18  DIG 20  DIG 21  DIG 22  DIG 23 DIG 24	Reciprocated linearlyWith pumpRotary storage massWith thermal expansion compensating meansHaving means controlling direction or rate of flowPlate type shutter associated with face of storage massSeal and seal-engaging surface are relatively movableSeal engaging a face of cylindrical heat storage massSeal defining sector-shaped flow areaBrush-type sealCircumferential sealHeat resistant material sealSeal attached to and rotating	DIG 44 DIG 45 DIG 46 DIG 47 DIG 48 DIG 50 DIG 51 DIG 52 DIG 53 DIG 54	regenerator rotor  HAVING FLEXIBLE HEAT EXCHANGE SURFACE CONFORMING TO A SOLID STRUCTURE (E.G., APPLICATOR, ETC.)  Conform to head, neck, or face Heat exchange body suit For coolingElectrical componentOr for heatingIncluding a pump or valve  HAVING EXPANSION AND CONTRACTION RELIEVING OR ABSORBING MEANS .For cylindrical heat exchangerFlexible or movable header or header elementMovable header (e.g., floating header, etc.)
DIG 15 DIG 16 DIG 17  DIG 18  DIG 19  DIG 20  DIG 21  DIG 22  DIG 23 DIG 24 DIG 25 DIG 26	Reciprocated linearlyWith pumpRotary storage massWith thermal expansion compensating meansHaving means controlling direction or rate of flowPlate type shutter associated with face of storage massSeal and seal-engaging surface are relatively movableSeal engaging a face of cylindrical heat storage massSeal defining sector-shaped flow areaBrush-type sealCircumferential sealHeat resistant material sealSeal attached to and rotating with storage mass	DIG 44  DIG 45  DIG 46  DIG 47  DIG 48  DIG 50  DIG 51  DIG 52  DIG 53	regenerator rotor  HAVING FLEXIBLE HEAT EXCHANGE SURFACE CONFORMING TO A SOLID STRUCTURE (E.G., APPLICATOR, ETC.)  Conform to head, neck, or face Heat exchange body suit For coolingElectrical componentOr for heatingIncluding a pump or valve  HAVING EXPANSION AND CONTRACTION RELIEVING OR ABSORBING MEANS .For cylindrical heat exchangerFlexible or movable header or header elementMovable header (e.g., floating header, etc.)Including guiding means for
DIG 15 DIG 16 DIG 17  DIG 18  DIG 19  DIG 20  DIG 21  DIG 22  DIG 23 DIG 24 DIG 25	Reciprocated linearlyWith pumpRotary storage massWith thermal expansion compensating meansHaving means controlling direction or rate of flowPlate type shutter associated with face of storage massSeal and seal-engaging surface are relatively movableSeal engaging a face of cylindrical heat storage massSeal defining sector-shaped flow areaBrush-type sealCircumferential sealHeat resistant material sealSeal attached to and rotating with storage massWith particular rotary bearing	DIG 44 DIG 45 DIG 46 DIG 47 DIG 48 DIG 50 DIG 51 DIG 52 DIG 53 DIG 54 DIG 55	regenerator rotor  HAVING FLEXIBLE HEAT EXCHANGE SURFACE CONFORMING TO A SOLID STRUCTURE (E.G., APPLICATOR, ETC.)  Conform to head, neck, or face Heat exchange body suit For coolingElectrical componentOr for heatingIncluding a pump or valve  HAVING EXPANSION AND CONTRACTION RELIEVING OR ABSORBING MEANS .For cylindrical heat exchangerFlexible or movable header or header elementMovable header (e.g., floating header, etc.)Including guiding means for movable header
DIG 15 DIG 16 DIG 17  DIG 18  DIG 19  DIG 20  DIG 21  DIG 22  DIG 23 DIG 24 DIG 25 DIG 26  DIG 27	Reciprocated linearlyWith pumpRotary storage massWith thermal expansion compensating meansHaving means controlling direction or rate of flowPlate type shutter associated with face of storage massSeal and seal-engaging surface are relatively movableSeal engaging a face of cylindrical heat storage massSeal defining sector-shaped flow areaBrush-type sealCircumferential sealHeat resistant material sealSeal attached to and rotating with storage massWith particular rotary bearing or drive means	DIG 44 DIG 45 DIG 46 DIG 47 DIG 48 DIG 50 DIG 51 DIG 52 DIG 53 DIG 54	regenerator rotor  HAVING FLEXIBLE HEAT EXCHANGE SURFACE CONFORMING TO A SOLID STRUCTURE (E.G., APPLICATOR, ETC.)  Conform to head, neck, or face Heat exchange body suit For coolingElectrical componentOr for heatingIncluding a pump or valve  HAVING EXPANSION AND CONTRACTION RELIEVING OR ABSORBING MEANS .For cylindrical heat exchangerFlexible or movable header or header elementMovable header (e.g., floating header, etc.)Including guiding means for
DIG 15 DIG 16 DIG 17  DIG 18  DIG 19  DIG 20  DIG 21  DIG 22  DIG 23 DIG 24 DIG 25 DIG 26	Reciprocated linearlyWith pumpRotary storage massWith thermal expansion compensating meansHaving means controlling direction or rate of flowPlate type shutter associated with face of storage massSeal and seal-engaging surface are relatively movableSeal engaging a face of cylindrical heat storage massSeal defining sector-shaped flow areaBrush-type sealCircumferential sealHeat resistant material sealSeal attached to and rotating with storage massWith particular rotary bearing or drive meansRing gear surrounding	DIG 44 DIG 45 DIG 46 DIG 47 DIG 48 DIG 50 DIG 51 DIG 52 DIG 53 DIG 54 DIG 55	regenerator rotor  HAVING FLEXIBLE HEAT EXCHANGE SURFACE CONFORMING TO A SOLID STRUCTURE (E.G., APPLICATOR, ETC.)  Conform to head, neck, or face Heat exchange body suit For coolingElectrical componentOr for heatingIncluding a pump or valve  HAVING EXPANSION AND CONTRACTION RELIEVING OR ABSORBING MEANS .For cylindrical heat exchangerFlexible or movable header or header elementMovable header (e.g., floating header, etc.)Including guiding means for movable headerFluid sealing means between
DIG 15 DIG 16 DIG 17  DIG 18  DIG 19  DIG 20  DIG 21  DIG 22  DIG 23 DIG 24 DIG 25 DIG 26  DIG 27  DIG 28	Reciprocated linearlyWith pumpRotary storage massWith thermal expansion compensating meansHaving means controlling direction or rate of flowPlate type shutter associated with face of storage massSeal and seal-engaging surface are relatively movableSeal engaging a face of cylindrical heat storage massSeal defining sector-shaped flow areaBrush-type sealCircumferential sealHeat resistant material sealSeal attached to and rotating with storage massWith particular rotary bearing or drive meansRing gear surrounding cylindrical storage mass	DIG 44  DIG 45  DIG 46  DIG 47  DIG 48  DIG 50  DIG 51  DIG 52  DIG 53  DIG 54  DIG 55  DIG 56	Element for constructing regenerator rotor  HAVING FLEXIBLE HEAT EXCHANGE SURFACE CONFORMING TO A SOLID STRUCTURE (E.G., APPLICATOR, ETC.)  .Conform to head, neck, or face Heat exchange body suit For cooling Electrical component Or for heating Including a pump or valve Including a pump or valve Including OR ABSORBING MEANS For cylindrical heat exchanger Flexible or movable header or header element Movable header (e.g., floating header, etc.) Including guiding means for movable header Fluid sealing means between movable header and enclosure Flexing tubesheet
DIG 15 DIG 16 DIG 17  DIG 18  DIG 19  DIG 20  DIG 21  DIG 22  DIG 23 DIG 24 DIG 25 DIG 26  DIG 27	Reciprocated linearlyWith pumpRotary storage massWith thermal expansion compensating meansHaving means controlling direction or rate of flowPlate type shutter associated with face of storage massSeal and seal-engaging surface are relatively movableSeal engaging a face of cylindrical heat storage massSeal defining sector-shaped flow areaBrush-type sealCircumferential sealHeat resistant material sealSeal attached to and rotating with storage massWith particular rotary bearing or drive meansRing gear surrounding	DIG 44  DIG 45  DIG 46  DIG 47  DIG 48  DIG 50  DIG 51  DIG 52  DIG 53  DIG 54  DIG 55  DIG 56  DIG 57	regenerator rotor  HAVING FLEXIBLE HEAT EXCHANGE SURFACE CONFORMING TO A SOLID STRUCTURE (E.G., APPLICATOR, ETC.)  Conform to head, neck, or face Heat exchange body suit For coolingElectrical componentOr for heatingIncluding a pump or valve  HAVING EXPANSION AND CONTRACTION RELIEVING OR ABSORBING MEANS .For cylindrical heat exchangerFlexible or movable header or header elementMovable header (e.g., floating header, etc.)Including guiding means for movable headerFluid sealing means between movable header and enclosure

DIG	59	Tubesheet connected to enclosure by expansion joint	DIG	89	For scraping flat horizontal surface
DIG	60	Expandable casing for cylindrical heat exchanger	DIG	90	Scraper blade movable relative to scraper blade support
DIG	61	For plural cylindrical heat exchangers			<pre>(e.g., pivoting blade, rocking blade, etc.)</pre>
DIG	62	Having particular external casing support means	DIG	91	For scraping wall of cylindrical heat exchanger
DIG	63	Cylindrical heat exchanger	DIG	92	WITH VALVE OR MOVABLE DEFLECTOR FOR HEAT EXCHANGE FLUID FLOW
DIG	<i>C</i> 1	fixed to fixed end supports	DIC	0.2	.Adjustable radiator face
DIG		Including intermediate support	DIG	93	
DIG		Bent cylindrical heat exchanger			covering means (e.g., adjustable shield for car
DIG	66	Coiled			radiator, heater core, etc.)
DIG	67	Cylindrical heat exchanger rectilinearly slidable	DIG	94	<pre>Windowshade type (i.e. sheet   feeds off roller)</pre>
		relative to its support	DIG	95	Rectilinear sliding movement of
DIG	68	Including fluid seal			adjustable cover
DIG	69	Pivotal support for cylindrical	DIG	96	Pivotal movement of adjustable
		heat exchanger			cover
DIG	70	Resilient fluid seal	DIG	97	Plural parallel pivotable
DIG	71	.Resilient fluid seal for plate-			shutters
		type heat exchanger	DIG	98	One shutter section having
DIG	72	AGITATOR OR IMPELLER MOTOR			different flow area or flow
		OPERATED BY FIRST HEAT			direction with another shutter
		EXCHANGE FLUID			section
DIG	73	.To agitate or move second heat	DIG		With fan
		exchange fluid	DIG	100	.Flow direction reversed through
DIG	74	Agitator structure confines			heat exchanger
		first heat exchange fluid	DIG	101	.For controlling supply of heat
DIG	75	Agitator structure confines second heat exchange fluid			exchange fluid flowing between hydraulically independent heat
DIG	76	WITH SCRAPER FOR REMOVING PRODUCT			exchange sections
		FROM HEAT TRANSFER SURFACE	DIG	102	Hydraulically independent
DIG	77	.Screw shaped scraper			single-confined-fluid radiator
DIG	78	.Linearly operated scraper			sections for heating ambient
DIG		Reciprocated linearly			air
DIG	80	.Plural scrapers for spaced	DIG	103	Valves each controls a
		shelves or chambers			radiator section
DIG	81	.Rotary heat exchange scraper or	DIG	104	Hydraulically independent heat
		scraper for rotary heat			exchange sections connected in
DIG		exchange surface	DIG	105	parallel
	82	exchange surfaceGrooved drum surface			Correlated valves
DIG					Correlated valvesValves each controls a heat
DIG		Grooved drum surface	DIG	106	Correlated valvesValves each controls a heat exchange sectionHydraulically independent
DIG	83	Grooved drum surfaceScraper attached to or formed part of rotary heat exchange fluid surfaceScraper within annular space formed by concentric cylinders	DIG	106	Correlated valvesValves each controls a heat exchange sectionHydraulically independent heat exchange tubes disposed in housing (e.g., tank,
DIG	83	Grooved drum surfaceScraper attached to or formed part of rotary heat exchange fluid surfaceScraper within annular space formed by concentric cylinders or concentric conical surfaces	DIG DIG	106 107	Correlated valvesValves each controls a heat exchange sectionHydraulically independent heat exchange tubes disposed in housing (e.g., tank, casing, etc.)
	83	Grooved drum surfaceScraper attached to or formed part of rotary heat exchange fluid surfaceScraper within annular space formed by concentric cylinders or concentric conical surfacesScraper for cleaning inner	DIG DIG DIG	<ul><li>106</li><li>107</li><li>108</li></ul>	Correlated valvesValves each controls a heat exchange sectionHydraulically independent heat exchange tubes disposed in housing (e.g., tank, casing, etc.)Coiled tubes
DIG	83	Grooved drum surfaceScraper attached to or formed part of rotary heat exchange fluid surfaceScraper within annular space formed by concentric cylinders or concentric conical surfacesScraper for cleaning inner surface of rotary heat	DIG DIG DIG	<ul><li>106</li><li>107</li><li>108</li></ul>	Correlated valvesValves each controls a heat exchange sectionHydraulically independent heat exchange tubes disposed in housing (e.g., tank, casing, etc.)Coiled tubes .With by-pass of heat exchanger
DIG	<ul><li>83</li><li>84</li><li>85</li></ul>	Grooved drum surfaceScraper attached to or formed part of rotary heat exchange fluid surfaceScraper within annular space formed by concentric cylinders or concentric conical surfacesScraper for cleaning inner surface of rotary heat exchange surface	DIG DIG DIG DIG	106 107 108 109	Correlated valvesValves each controls a heat exchange sectionHydraulically independent heat exchange tubes disposed in housing (e.g., tank, casing, etc.)Coiled tubes .With by-pass of heat exchanger or heat exchanger section
DIG DIG	<ul><li>83</li><li>84</li><li>85</li><li>86</li></ul>	Grooved drum surfaceScraper attached to or formed part of rotary heat exchange fluid surfaceScraper within annular space formed by concentric cylinders or concentric conical surfacesScraper for cleaning inner surface of rotary heat exchange surfaceWeight operated scraper	DIG DIG DIG DIG	106 107 108 109	Correlated valvesValves each controls a heat exchange sectionHydraulically independent heat exchange tubes disposed in housing (e.g., tank, casing, etc.)Coiled tubes .With by-pass of heat exchanger or heat exchanger sectionBypass within or surrounds heat
DIG DIG DIG	<ul><li>83</li><li>84</li><li>85</li><li>86</li><li>87</li></ul>	Grooved drum surfaceScraper attached to or formed part of rotary heat exchange fluid surfaceScraper within annular space formed by concentric cylinders or concentric conical surfacesScraper for cleaning inner surface of rotary heat exchange surfaceWeight operated scraperSpring pressed scraper	DIG DIG DIG DIG	106 107 108 109	Correlated valvesValves each controls a heat exchange sectionHydraulically independent heat exchange tubes disposed in housing (e.g., tank, casing, etc.)Coiled tubes .With by-pass of heat exchanger or heat exchanger section
DIG DIG	<ul><li>83</li><li>84</li><li>85</li><li>86</li><li>87</li></ul>	Grooved drum surfaceScraper attached to or formed part of rotary heat exchange fluid surfaceScraper within annular space formed by concentric cylinders or concentric conical surfacesScraper for cleaning inner surface of rotary heat exchange surfaceWeight operated scraper	DIG DIG DIG DIG	106 107 108 109	Correlated valvesValves each controls a heat exchange sectionHydraulically independent heat exchange tubes disposed in housing (e.g., tank, casing, etc.)Coiled tubes .With by-pass of heat exchanger or heat exchanger sectionBypass within or surrounds heat

DIG 137 .Unconstrained movement (e.g.,

float, etc.)

DIG 111Heat exchanger enclosing a	DIG 138 .Partially rotable (e.g, rocking,
fluid conduit confining second	pivoting, oscillation,
heat exchange fluid	tilting, etc.)
DIG 112Stove pipe drum having air	DIG 139 .Fully rotatable
draft passage for heating ambient air	DIG 140Rotating heat exchanger having rotating flow confining
DIG 113Bypass centrally located in	structures or chambers for two
heat exchanger	separate heat exchange fluids
DIG 114Having perforated wall	DIG 141Concentric flow confining
DIG 115Surrounding by a helical flow	structures or chambers
channel	DIG 142Jacketed shell
DIG 116Plural adjacent flow channel	DIG 143Discrete tubing having length
parallel to central bypass	extending along a longitudinal
DIG 117Arranged for series flow	axis of rotating heat
therethrough	exchanger
DIG 118Serpentine heat exchange flow	DIG 144Helical
path	DIG 145Radially extending hollow arm
DIG 119Bypass controlled by pivotal	on rotating shaft traverses
damper	furnance shelf (e.g., rabble
DIG 120U or serpentine heat exchange	arm, etc.)
flow path	DIG 146Angled blade suspended from
DIG 121 Serpentine heat exchange flow	arm for advancing material
path	DIG 147Fluid impeller or material
DIG 122U heat exchange flow path and	advancer
linear bypass	DIG 148Auger
DIG 123 .Heat exchange flow path through	DIG 149Having hollow blade
heat exchanger altered (e.g.,	DIG 150Radial or axial impeller
crossed, etc.)	DIG 151Having hollow blade
DIG 124Stove pipe drum	DIG 152Rotating agitator
DIG 125 Valve mounted on fixed	DIG 153Flow space or fluid chamber
deflector	defined between two relatively
DIG 126 .Total flow rate through heat	movable, closely spaced
exchanger controlled by valve	coextensive surfaces
DIG 127 Stove pipe drum	DIG 154Hollow tubing rotates in vessel to stir contents
DIG 128Including air draft passage	
for heating ambient air	DIG 155 Tubing has radially or
DIG 129Valve regulates flow through	axially extending sections DIG 156Hollow cylindrical member
housing enclosing heat	(e.g., drum, etc.)
exchanger	
DIG 130Including valve regulating	DIG 157Fluid sprayed onto surface of rotatable cylinder
flow through heat exchanger	
DIG 131Single-confined-fluid radiator	DIG 158Having stationary material removal means
for heating ambient air	
DIG 132 WITH ADJUSTOR FOR HEAT FLOW	DIG 159With particular flow path or
DIG 133 .Conduction rate	<pre>defined fluid chamber (e.g., annulus, spiral, etc.)</pre>
DIG 134By varying thickness of	DIG 160Concentric shells define
conductive layer (e.g., air	annular flow space
gap, etc.)	DIG 161With means defining
DIG 135 MOVABLE HEAT EXCHANGER	particular flow path (e.g.,
DIG 136 .Movable belt or strip transfers	baffle, etc.)
heat to or from objects or	DIG 162 ONLY DIRECT-CONTACT HEAT EXCHANGE
material thereon	DIG 102 ONLI DIRECI-CONTACT REAL EXCHANGE

BETWEEN TWO SEPARATELY

SUPPLIED FLUIDS

- DIG 163 INCLUDING A MEANS TO FORM FLUID FILM ON HEAT TRANSFER SURFACE (E.G., TRICKLE)
- DIG 164 .Film flow constrained to spiral path
- DIG 165 .Film formed on spirally coiled member
- DIG 166 .Vertically spaced pipe sections contact liquid in underlying troughs
- DIG 167 .Liquid film flows sequentially along upper surfaces of vertically spaced trays (i.e. shelf-to-shelf)
- DIG 168 .Film formed on interior surface of container or pipe
- DIG 169 .. Inside of vertical pipe
- DIG 170 ...Distributor "cap" mounted in top end of pipe
- DIG 171 .Including means at top end of vertical pipe to distribute liquid film on pipe exterior
- DIG 172 .Film flows along exterior of plural pipe sections
- DIG 173 ..Pipe exterior surfaces about to form continuous surface
- DIG 174 ..Intervening members extend between spaced pipe sections to form continuous surface
- DIG 176 ...With means suspended beneath pipe surface to guide liquid droplets
- DIG 177 .Film flows along upper surface of tray
- DIG 178 ..Parallel corrugated vertical sheets formed fluid passage therebetween
- DIG 179 ... Container enclosed by casing
- DIG 180 ..Vertically disposable elongated member
- DIG 181 ..Horizontally disposable elongated member
- DIG 182 INDIRECT-CONTACT COOLING TOWER
- DIG 183 INDIRECT-CONTACT EVAPORATOR
- DIG 184 INDIRECT-CONTACT CONDENSER
- DIG 185 .Having stacked plates forming flow channel therebetween
- DIG 186 ..Stacked plates surrounded by housing confining another fluid

- DIG 187 .Having pump downstream of condenser
- DIG 188 ..Pump to remove only uncondensed vapor or air
- DIG 189 ...From a first-stage directcontact condenser
- DIG 190 ...Including second-stage indirect-contact condenser
- DIG 191 ...Including second-stage directcontact condenser
- DIG 192 .Including means to heat collected condensate
- DIG 193 .First-stage condenser serially connected to second-stage condenser
- DIG 194 ..First stage direct-contact condenser
- DIG 195 .Including condensate collecting tray connected to condensate drain conduit to divert condensate around a section of heat transfer surface
- DIG 196 .Baffle defines flow passage within header for condensate to bypass portion of vapor flow path
- DIG 197 .Including means for (removing)
  condensate (from vapor flow
  path) to bypass portion of
  vapor flow path
- DIG 198 .Condensate guiding means attached to heat transfer surface
- DIG 199 ..Heat transfer tube surrounds by jacket condensate guiding means
- DIG 200 ..Condensate guiding means forms inside heat transfer tube
- DIG 201 ..Including fin member associated with condensate guiding means
- DIG 202 .Vapor flow passage between vapor inlet and outlet has decreasing cross- sectional area
- DIG 203 ..Coolant tubes arranged in groups to form vapor flow lanes of decreasing cross-sectional area
- DIG 204 .Including a direct-contact heat exchange chamber
- DIG 205 .Space for condensable vapor surrounds space for coolant
- DIG 206 ..Including coiled heat exchange tube

DIG	207	Distinct outlets for separated	DIG	303	Annular heat exchanger
		condensate and gas			Axial impeller
DIG	208	Including vapor guide plate	DIG	305	Located at heat-exchange
		extending across vapor inlet			housing inlet
DIG	209	Including tube banks arranged	DIG	306	Located at heat-exchange
		in undulating pattern (e.g., w			housing outlet
		shape)			Including plural impellers
DIG	210	Including perforated baffle			Coaxial impellers
		completely surrounding a group			Radial impeller
DIG	011	of coolant tube	DIG	310	Heat exchanger located at
DIG	211	Including concave member		211	housing inlet or outlet
		adjacent to vapor outlet and partially covering a group of	DIG	311	Including particular flow
		coolant tubes			deflector (e.g., shroud,
DTG	212	Including inclined flat	DTC	212	diffuser, etc.)
DIO	2.2.2	condensate guiding means			Plural parallel deflectorsDeflector with curved surface
DIG	213	Including baffle partially			Defrector with curved surfaceRadial impeller
		covering a group of coolant			Located at heat-exchange
		tubes	DIG	313	housing inlet
DIG	214	Including baffle structure for	DIG	316	Axial impeller located at heat-
		reversing flow direction of	DIO	310	exchange housing inlet
		vapor	DIG	317	Axial impeller located at heat-
DIG	215	Having longitudinal partition			exchange housing outlet
		extending parallel to	DIG	318	WITH DRIVEN AGITATOR
		longitudinal axis of coolant	DIG	319	.Linearly moving agitator
DIG	216	tube	DIG	320	.Fully rotary agitator
DIG	210	Having partition transverse to longitudinal axis of coolant	DIG	321	Generating toroidal flow
		tube	DIG	322	Including heat exchange jacket-
DIG	217	.Space for coolant surrounds			walls
220		space for vapor	DIG	323	Heating or cooling coil
DIG	218	Condensor adapted to cover			disposed between jacket-walls
		opening at top of vapor	DIG	324	Agitator having blade sections
		generator	DTG	205	mounted along rotating shaft
DIG	219	Radiator cap condenser	DIG	325	Blade sections mounted along
DIG	220	U-shaped or spur tubes	DIC	226	rotating shaft
		connected to adjacent inlet			Agitator and heating or gooling
		_	DIO	320	Agitator and heating or cooling
		and outlet headers			coil disposed in same housing
DIG	221	and outlet headersVapor is the only confined			coil disposed in same housing THERMOSYPHONIC HAVING VERTICAL
		<pre>and outlet headersVapor is the only confined fluid</pre>	DIG	327	coil disposed in same housing THERMOSYPHONIC HAVING VERTICAL AIR DRAFT PASSAGE
		<pre>and outlet headersVapor is the only confined fluidPlural parallel tubes</pre>	DIG	327	coil disposed in same housing THERMOSYPHONIC HAVING VERTICAL
		<pre>and outlet headersVapor is the only confined fluidPlural parallel tubes confining vapor connecting</pre>	DIG	327	coil disposed in same housing THERMOSYPHONIC HAVING VERTICAL AIR DRAFT PASSAGE .Air draft passage confined
DIG	222	and outlet headersVapor is the only confined fluidPlural parallel tubes confining vapor connecting between spaced headers	DIG DIG	327 328	coil disposed in same housing THERMOSYPHONIC HAVING VERTICAL AIR DRAFT PASSAGE  .Air draft passage confined entirely or in part by fin
DIG	222	and outlet headersVapor is the only confined fluidPlural parallel tubes confining vapor connecting between spaced headersVapor tube enclosed by coolant	DIG DIG	327 328	coil disposed in same housing THERMOSYPHONIC HAVING VERTICAL AIR DRAFT PASSAGE  .Air draft passage confined entirely or in part by fin structure
DIG	222	and outlet headersVapor is the only confined fluidPlural parallel tubes confining vapor connecting between spaced headersVapor tube enclosed by coolant confining shell	DIG DIG DIG	327 328 329	coil disposed in same housing THERMOSYPHONIC HAVING VERTICAL AIR DRAFT PASSAGE  Air draft passage confined entirely or in part by fin structure Corrugated fin attached to heat transfer surface Air draft passage is parallel
DIG	222	and outlet headersVapor is the only confined fluidPlural parallel tubes confining vapor connecting between spaced headersVapor tube enclosed by coolant	DIG DIG DIG	327 328 329	THERMOSYPHONIC HAVING VERTICAL AIR DRAFT PASSAGE  Air draft passage confined entirely or in part by fin structure Corrugated fin attached to heat transfer surface Air draft passage is parallel to flow direction of heating
DIG DIG DIG	<ul><li>222</li><li>223</li><li>224</li></ul>	and outlet headersVapor is the only confined fluidPlural parallel tubes confining vapor connecting between spaced headersVapor tube enclosed by coolant confining shell INCLUDING A MEANS TO FORM A FLUID	DIG DIG DIG	327 328 329 330	THERMOSYPHONIC HAVING VERTICAL AIR DRAFT PASSAGE  Air draft passage confined entirely or in part by fin structure Corrugated fin attached to heat transfer surface Air draft passage is parallel to flow direction of heating or cooling means
DIG DIG DIG	<ul><li>222</li><li>223</li><li>224</li><li>225</li></ul>	and outlet headersVapor is the only confined fluidPlural parallel tubes confining vapor connecting between spaced headersVapor tube enclosed by coolant confining shell INCLUDING A MEANS TO FORM A FLUID JET	DIG DIG DIG	327 328 329 330	THERMOSYPHONIC HAVING VERTICAL AIR DRAFT PASSAGE  Air draft passage confined entirely or in part by fin structure Corrugated fin attached to heat transfer surface Air draft passage is parallel to flow direction of heating or cooling means  .Air draft passage confined
DIG DIG DIG DIG DIG	222 223 224 225 226	and outlet headersVapor is the only confined fluidPlural parallel tubes confining vapor connecting between spaced headersVapor tube enclosed by coolant confining shell INCLUDING A MEANS TO FORM A FLUID JET WITH SOLID CONVEYOR	DIG DIG DIG	327 328 329 330	THERMOSYPHONIC HAVING VERTICAL AIR DRAFT PASSAGE  Air draft passage confined entirely or in part by fin structure Corrugated fin attached to heat transfer surface Air draft passage is parallel to flow direction of heating or cooling means  .Air draft passage confined entirely by heat transfer
DIG DIG DIG DIG DIG DIG DIG DIG	222 223 224 225 226 227 228	and outlet headersVapor is the only confined fluidPlural parallel tubes confining vapor connecting between spaced headersVapor tube enclosed by coolant confining shell INCLUDING A MEANS TO FORM A FLUID JET WITH SOLID CONVEYOR .Screw conveyor .Belt conveyor WITH FAN OR PUMP	DIG DIG DIG	327 328 329 330 331	THERMOSYPHONIC HAVING VERTICAL AIR DRAFT PASSAGE  .Air draft passage confined entirely or in part by fin structure Corrugated fin attached to heat transfer surface Air draft passage is parallel to flow direction of heating or cooling means  .Air draft passage confined entirely by heat transfer surface
DIG DIG DIG DIG DIG DIG DIG DIG DIG	222 223 224 225 226 227 228 229	and outlet headersVapor is the only confined fluidPlural parallel tubes confining vapor connecting between spaced headersVapor tube enclosed by coolant confining shell INCLUDING A MEANS TO FORM A FLUID JET WITH SOLID CONVEYOR .Screw conveyor .Belt conveyor WITH FAN OR PUMP .Screw conveyor in pipe or tank	DIG DIG DIG	327 328 329 330 331	THERMOSYPHONIC HAVING VERTICAL AIR DRAFT PASSAGE  .Air draft passage confined entirely or in part by fin structure Corrugated fin attached to heat transfer surface Air draft passage is parallel to flow direction of heating or cooling means  .Air draft passage confined entirely by heat transfer surface Coaxial ducts define air draft
DIG	222 223 224 225 226 227 228 229 300	and outlet headersVapor is the only confined fluidPlural parallel tubes confining vapor connecting between spaced headersVapor tube enclosed by coolant confining shell INCLUDING A MEANS TO FORM A FLUID JET WITH SOLID CONVEYOR .Screw conveyor .Belt conveyor WITH FAN OR PUMP .Screw conveyor in pipe or tank .Injector-type pump	DIG DIG DIG	327 328 329 330 331	THERMOSYPHONIC HAVING VERTICAL AIR DRAFT PASSAGE  .Air draft passage confined entirely or in part by fin structure Corrugated fin attached to heat transfer surface Air draft passage is parallel to flow direction of heating or cooling means  .Air draft passage confined entirely by heat transfer surface
DIG	222 223 224 225 226 227 228 229 300 301	and outlet headersVapor is the only confined fluidPlural parallel tubes confining vapor connecting between spaced headersVapor tube enclosed by coolant confining shell INCLUDING A MEANS TO FORM A FLUID JET WITH SOLID CONVEYOR .Screw conveyor .Belt conveyor WITH FAN OR PUMP .Screw conveyor in pipe or tank	DIG DIG DIG DIG	<ul><li>327</li><li>328</li><li>329</li><li>330</li><li>331</li><li>332</li></ul>	THERMOSYPHONIC HAVING VERTICAL AIR DRAFT PASSAGE  .Air draft passage confined entirely or in part by fin structure Corrugated fin attached to heat transfer surface Air draft passage is parallel to flow direction of heating or cooling means  .Air draft passage confined entirely by heat transfer surface Coaxial ducts define air draft passage and annular passage

DIG	334	Baffle located in annular			Slotted plates forming grid
		passage	DIG	364	With fluid traversing passages
DIG	335	Plural air draft passages enclosed by casing	DIG	365	formed through the plateIncluding peripheral seal
DIG	336	Angled air draft passage			element forming flow channel
DIG	337	.Heating or cooling means			bounded by seal and heat
		entirely surrounded by air			exchange plates
		draft passage forming casing	DIG	366	Rigid or semi-rigid
DIG	338	Nested or concentric members			peripheral seal frame
		define annular air draft	DIG	367	Peripheral seal element
		passage and heating or cooling			between corrugated heat
		conduit			exchange plates
DIG	339	With baffle	DIG	368	Including angled
		Including flow baffle in casing			corrugations with respect to
DIG	341	Parallel heating or cooling			flow direction
		tubes or tubular sections	DIG	369	Including seal to plate
		(e.g., coil, serpentine, etc.)			attachment means
		TANK WITH HEAT EXCHANGER	DIG	370	Unitary heat exchange plate
DIG	343	.Heat exchanger forms all or		0 = 1	and projecting edge
		portion of tank	DIG	3./1	Including mating flanges
DIG	344	Spiral coil forms hemispherical			around fluid traversing
D.T.G	245	vessel	DTC	272	passage
		Jacketed vessel	DIG	3/4	Adjacent heat exchange plates having joined bent edge
DIG	346	Flow baffle or fin in annular			flanges for forming flow
DTC	247	flow space			channels therebetween
DIG	34/	.Heat exchanger forms cover for tank	DIG	373	Adjacent heat exchange plates
חדם	348	.Heat exchanger within tank			having joined bent edge
		Supported by cover for tank			flanges for forming flow
		Tubing removably coupled to			channels therebetween
DIO	330	inlet and outlet at tank wall	DIG	374	Liquid to air heat exchanger
DIG	351	Spaced from tank wall			having liquid passage formed
		Flow directing baffle			by joined sheets
		associated with heat exchanger			Transverse air tubes
		tubing	DIG	376	Air passages defined by
DIG	353	.Tube coil bonded directly to			spacing projections of sheets
		tank exterior	DIG	377	Spacing projections formed
DIG	354	.Heat exchanger serially	DTG	270	by folded sheet portions
		connected to tank	DIG	3/8	Including intermediate sheet supporting opposed
DIG	355	HAVING SEPARATE FLOW PASSAGE FOR			spacing projections
		TWO DISTINCT FLUIDS	DTG	379	Including corrugated air fin
DIG	356	.Plural plates forming a stack	210	3,7	passages between adjacent
		providing flow passages			liquid passages
DTC	257	therein	DIG	380	Air fin conforms to joined
		Forming annular heat exchangerRadially arranged plates			corrugated sheets forming
		Radially arranged placesIncluding means for modifying			plural liquid chambers
DIG	337	thermal stress in heat	DIG	381	Including air fin apertures
		exchange plate	DIG	382	Overlapping flanges
DTG	360	Stacked plates having plurality	DIG	383	Interlocking flanges
DIO	300	of perforations	DIG	384	Thermally bonded side edges
DIG	361	Circular flow passages between	DIG	385	Bent sheet forming a single
-		plates			tube
DIG	362	Heat exchange liquids separated	DIG	386	To form only air passages
		by double walls			

DIG	387	Including side-edge seal or edge spacer bar	DIG	416	Extending transverse of shell (e.g., fin, baffle, etc.)
DIG	388	Including spacer bar	DTG	417	Including spacer or support
220		transverse to plate stack	220		for transverse tube support or
DIG	389	Flow enhancer integral with			shell-side flow director
		side-edge seal or edge spacer	DIG	418	Tubular spacer sleeve
		bar			Spacer or support connected
DIG	390	Flange element to connect two			to shell
		adjacent heat exchange plates	DIG	420	Segmented plate
DIG	391	Including intermediate			Disc and donut plates
		corrugated element			Unitary tube support or
DIG	392	Unitary heat exchange plate			shell-side flow director
		and projecting edge			carried by single tube
DIG	393	Including additional element	DIG	423	Bar
		between heat exchange plates	DIG	424	Forming grid structure
DIG	394	Corrugated heat exchange plate	DIG	425	Having ends connected to
DIG	395	.Monolithic core having flow			ring element
		passages for two different	DIG	426	Clamped tube spacer or
		fluids (e.g., one- piece			support
		ceramic, etc.)	DIG	427	Manifold for tube-side fluid
DIG	396	Plurality of stacked monolithic			(i.e., parallel)
		cores	DIG	428	Including flow director in
DIG	397	Including conduits embedded in			manifold
		monolithic block	DIG	429	Line-connected conduit
DIG	398	.Spirally bent heat exchange			assemblies
		plate	DIG	430	Manifolds connected in
		.Corrugated heat exchange plate			parallel (e.g., Multi-stage,
		.Shell enclosed conduit assembly			etc.)
DIG	401	Including tube support or			Manifolds connected in series
	400	shell-side flow director			Including a tube sheet
		Manifold for shell-side fluid			Tubes-tubesheet connection
DIG	403	Preheater for shell-side fluid	DIG	434	Plural strips forming
		for preventing thermal shock to tube sheet		405	tubesheet
DTC	101	Serially connected separate	DIG	435	Plural bonded conduit end
DIG	404	shells			<pre>portions (i.e., tubesheet not needed)</pre>
DIG	405	Extending in a longitudinal	DTC	126	Bent conduit assemblies
DIG	103	direction			Coiled
DIG	406	Helically or spirally shaped			Helical
		Internal casing or tube			Serially connected conduit
DIO	107	sleeve	DIG	433	assemblies (i.e., no manifold)
DIG	408	Tube sleeve	DTG	440	Coiled conduit assemblies
		Including transverse element			Helical
220	-07	(e.g., fin, baffle, etc.)			.Conduits
DIG	410	Movable internal casing			Adjacent conduits with
		connecting to transverse	DIO	113	transverse air passages (e.g.,
		element			radiator core type, etc.)
DIG	411	Connecting to shell by	DIG	444	Including transversely stacked
		specific structure			fin sheets
DIG	412	Including transverse element	DIG	445	Including transverse
		(e.g., fin, baffle, etc.)			corrugated fin sheets
DIG	413	For directing flow along the	DIG	446	Including intermediate sheet
		length of tube			between adjacent tubes forming
DIG	414	For supporting coil tubes			air fin passages
DIG	415	Including perforations	DIG	447	Corrugated sheet

- DIG 448 ..Air conduits (e.g., radiator core type, etc.)
- DIG 449 .. Vertically stacked conduits
- DIG 450 ...Including integral abutting or interlocking elements
- DIG 451 .. Including bent conduits
- DIG 452 .. Including fins
- DIG 453 .Plural elements arranged to form a fluid passage
- DIG 454 HAVING SIDE-BY-SIDE CONDUITS
  STRUCTURE OR CONDUIT SECTION
- DIG 455 .Readily detachable tubes having ends with distinct fluid coupling members engaging corresponding coupling members on manifold
- DIG 456 .Readily and independently detachable sections
- DIG 457 ..Individual manifolds for each section
- DIG 458 .Self-contained sections

  hydraulically connected in
  series
- DIG 459 .Strips with shaped, interfitted edges form heat exchanger core with plural passages
- DIG 460 ..With spacers interposed between adjacent passages
- DIG 461 .Plate fins formed with tubular projections which join with projections of adjacent plates to form parallel conduits
- DIG 462 .. Tapering, nested projections
- DIG 463 ...Conduits oblong in cross section
- DIG 464 .Conduits formed by joined pairs of matched plates
- DIG 465 ..Manifold space formed in end portions of plates
- DIG 466 ...Manifold spaces provided at one end only
- DIG 467 ..With turbulence enhancing pattern embossed on joined plates
- DIG 468 .Core formed by stack tubular members with abutting edges
- DIG 469 .Reinforcing rod or strip extends across parallel fin edges
- DIG 470 .Tensioning member within manifold
- DIG 471 .Plural parallel conduits joined by manifold
- DIG 472 ..U-shaped conduits connected to side-by-side manifolds

- DIG 473 ..With clamping member at joint between header plate and header tank
- DIG 474 ...With compressible seal at joint
- DIG 475 ...Header plate and tank of dissimilar materials
- DIG 476 ..Fusion joint (e.g., solder, braze) between tube plate and header tank
- DIG 477 ..Elastic seal element between conduit ends and receiving holes in header plate
- DIG 478 ...Separate means employed for mechanical attachment and hydraulic seal of conduit ends to header plate
- DIG 479 .. Tubes joined to tube plate with adhesive (e.g., glue or braze compound)
- DIG 480 .. Elongated support members extending between spaced manifolds
- DIG 481 ..Partitions in manifold define serial flow pattern for conduits/conduit groups
- DIG 482 ...Partitions are separate members
- DIG 483 ..Flow deflecting/retarding means in header for even distribution of fluid to plural tubes
- DIG 484 ...Orifices mounted at conduit ends
- DIG 485 ..Unitary ("one-piece") header structure
- DIG 486 ..Corrugated fins disposed between adjacent conduits
- DIG 487 ...Louvered
- DIG 488 ..Header is rounded in cross section (e.g., circular, oval)
- DIG 489 .. Two piece header structure
- DIG 490 ..Noncircular tube cross section (oval, triangular, etc.)
- DIG 491 ..Manifolds formed in coreenclosing frame
- DIG 492 .Plural conduits with ends connected to tube plate
- DIG 493 ..Welded or fused joint between conduit end and plate
- DIG 494 ..Conduit end deformed (e.g., expanded) to affix to plate
- DIG 495 .Single unitary conduit structure bent to form flow path with side-by-side sections

DIG	496	Spiral or helical coil
DIG	497	Serpentine flow path with
		straight side-by-side sections
DIG	498	Fin assembly extends across side-by-side sections
DIG	499	.With parallel tubes or tube
		sections having ends joined to opposed frame members
DIG	500	.Side-by-side conduits with fins
DIG	501	Plate fins penetrated by plural conduits
DIG	502	Lanced
DIG	503	Angled louvers
DIG	504	
DIG	505	Corrugated strips disposed
		between adjacent conduits
DIG	506	.Side-by-side conduits with means
		<pre>(e.g., support grid) holding them in spaced relation</pre>
DIG	507	.Straight side-by-side conduits
		joined for flow of one fluid
DIG	508	Side-by-side conduits penetrate
		parallel plate-type fins
DIG	509	Side-by-side conduits lie in
		common plane
DIG	510	HAVING HEAT EXCHANGE SURFACE
		TREATMENT, ADJUNCT OR
DTG	г11	ENHANCEMENT
_	512	.Polished heat transfer surface
	513	
	514	
	515	
DIG	212	.Patterned surface (e.g., knurled, grooved)
DTC	516	_
	517	
	518	_
DIG	310	structure
DIG	519	porous or mesh
		Internal and external
		Pin fins penetrating conduit
		wall
DIG	522	Transverse fins spaced along
		conduit
DIG	523	Separated by integral flanges engaging conduit exterior
DIG	524	Longitudinally extending
DIG	525	Helical
DIG	526	Spine or loop fins
		Integrally formed
		Fin and conduit of diverse
$D \perp 0$	220	III and conduit of diverse
DIO	320	materials

DIG 529 .With structure for promoting
turbulence and/or breaking up
laminar flow adjacent heat
transfer surface

DIG 530 ..Conduit insert

DIG 531 .With wicking structure

DIG 532 HEAT EXCHANGE CONDUIT STRUCTURE

DIG 533 .Composite of diverse materials

DIG 534 ..Concentric layers

DIG 535 .Helically formed

DIG 536 .Noncircular cross-section

DIG 537 ..Oblong or elliptical

DIG 538 .With particular flow connecting
structure

DIG 539 HAVING A HEAT STORAGE MASS